



SAS200



Overview

SYSTEM GROUP		GRID	
			
Suspended Ceiling		Concealed Grid SAS J-Bar suspension	
TILE			
			
Hook-on		Square edge	
ACOUSTICS			
A-D		15-41dB	
Absorption class		Insulation	
ACCESS	SYSTEM WEIGHT	LIFE EXPECTANCY	
	10kg/m² Approx.	25yr	
Lift and Tilt	Based on 600 x 600mm tiles 30mm deep*	In excess of	

***Note** This includes the entire system and full associated components
(suspension, tile, acoustic pad and associated fixings.)



SAS200 is a concealed grid suspended ceiling system offering significant creative flexibility. The highly adaptable system is often used as a basis for fully bespoke designs. Due to its inherent versatility, the J-Bar hook on system can be used in a wide variety of applications.

Module Sizes

There are no standard tile sizes for SAS200. Tiles can be up to 3000mm in length and no less than 300mm wide. Bespoke module sizes and shapes are available on request.

Access

Tiles can simply be lifted and removed from the grid.

Finishes

SAS200 is available in all standard SAS finishes, please refer to page 105. Bespoke finishes are available on request.

Perforations

SAS200 can be manufactured with any standard SAS perforation. For our full range of perforations, please refer to page 83. Bespoke perforations are also an option.

Acoustic Materials

16mm deep, 80Kg density mineral wool pad with black tissue face, foil back and sides. Other acoustic materials are available, please refer to page 20.

Service Integration

Tiles can be formed with apertures during manufacturing and post painted for integration with lights and other services.


Please note Loads in excess of 6Kg require independent suspension.

Technical Support

Please contact our technical team for all questions relating to access, security, bespoke features, service integration or load support.

Please note Panels are supplied with a standard 3mm wide, black gasket.


SAS200




Perspective Drawing

- 1 Emac Hanger
- 2 Emac Channel
- 3 J-Bar to Channel Bracket
- 4 J-Bar
- 5 Emac Wall Anchor
- 6 J-Bar Splice
- 7 Perimeter Trim
- 8 Wedge
- 9 Tile

*Lightweight installations only, see page 253 for full details.



Section and detail drawings



All dimensions are in mm.



SAS**200**

KPMG, Sovereign Street

Location
Leeds, UK
Architect
Sheppard Robson

Contractor
Morgan Sindell/ISG
Interior Exterior
Purpose
Commercial



SAS**200**

Audi, Milton Keynes

Location
Milton Keynes, UK
Architect
SDA Architects

Contractor
BDB Design Build Ltd
Purpose
Retail



SAS**200**^{plus}

Ropemaker Place, London

Location
London, UK
Architect
Arup Associates

Contractor
Mace Ltd
Purpose
Commercial



SAS**200**^{PLUS}

Stansted Airport

Location
Essex, UK
Architect
Foster + Partners

Contractor
Laing Management
Consulting
Consulting
Purpose
Transport

SAS PLUS

SAS Plus offers the system designer access to SAS' in-house design team to collaborate on bespoke ceiling specification. Systems can be variants of standard SAS offerings, or completely bespoke designs.

Call us for more details.

UK +44 (0) 1189 290 900

UK sasint.co.uk

enquiries@sasint.co.uk