

# SAS**810 XX**






### Overview







SAS810 Tricell is a decorative open cell ceiling, for airflow and smoke extraction applications. Tricell is an aesthetic development of Trucell, offering the specifier an alternate cell pattern. The ceiling tiles can integrate within other metal ceiling systems and plasterboard ceilings.

Our open cell ceiling systems are ideal for retail, transport or leisure applications with high human traffic flow. Rapid and safe smoke extraction is critical in such environments.

#### **Module Sizes**

876mm x 876mm (standard)

Each panel has a nominal cell wall thickness of 15mm to give a precise engineered ceiling appearance.

Bespoke modules and tile sizes are available, subject to the size being divisible by the available cell sizes.

#### Access

Tiles can simply be lifted and removed from the grid.

#### Finishes

International White Pre-coat as standard. SAS810 is also available in RAL colours and other bespoke PPC finishes on request.

#### Service Integration


Tricell allows fire detection and control systems, air conditioning and other services to be located within the ceiling void. Traditional decorative lighting and LEDs can be installed within single or multiple adjacent cells.

#### **Technical Support**

Please contact our technical team for all questions relating to access, security, bespoke features, service integration or load support.





#### **Perspective Drawing**




#### Section and detail drawings












### Aeropuerto de Santiago

Location
Santiago, Spain
Architect
Alberto Noguerol
+ Pilar Diez
arquitectura

Contractor **UTE Lavacolla**Purpose **Transport** 



OMERS, 122 Leadenhall Street

Location London, UK Architect HLW International Contractor
StructureTone Ltd
Purpose
Commercial



SAS Plus offers the system designer access to SAS' in-house design team to collaborate on bespoke ceiling specification. Systems can be variants of standard SAS offerings, or completely bespoke designs.

Call us for more details.

UK +44 (0) 1189 290 900 UK sasint.co.uk enquiries@sasint.co.uk